

Conveyance Alteration Permit Application (NOTE ** indicates required information for alterations)

Elevator	Dumbwaiter / Material Lift	Moving Stair / Walk	Lift
**Number of Landings:		Type of Drive Unit:	**Rated Load (lbs):
**Number of car or platform openings:		Suspension Means:	Size of Suspension Means:
Car Interior:	Car interior - other material testing:	Number of Suspension Means:	
Car Door or Gate:	Hoistway Door Interlock Mfg:	Hoistway Door Interlock Model Number:	
Speed Up (fpm):	**Overhead Clearance (ft):	Entrance Construction:	
Speed Down (fpm):	Pit Depth (ft):	Car Inside Dimension (ft ²):	Car Wt (lbs):
**Total Travel (ft):	**Top Runby (in):	**Bottom Runby (in):	Total Wt (lbs):
Sheave Size (in):	Buffer Stroke (in):	Buffer Type:	
Guide Rail Type:	Car Guide Rail Size	Cwt Guide Rail Size:	Phase:
Hydraulic Control Valve Model #:		Machine Type:	Volts - main:
Hydraulic Control Valve Manufacturer:		Emerg. Brake Type:	Primary Brake Type:
On Emerg / Standby Power (Y/N):		Battery Emerg Lowering Only (Y/N):	Battery Volts:
Safety Type:	Approved Cap. (lbs):	Safety Manufacturer:	Safety Model #:
Governor Type:	Governor manufacturer:	Governor Model #:	
Slack Rope/Chain Switch (Y/N):	2.19 Device Manufacturer:	2.19 Device Model #:	
**Fire Fighter's Service:	Fire Command Room (Y/N):	Designated Evac. Level:	Alt. Evac. Level:
Sprinklers in Machine Rm (Y/N):	Sprinklers in Top of Hoistway / Runway (Y/N):		Sprinklers in Pit (Y/N):
Machine Room Fire Rating:	Hoistway Fire Rating:		
Total combined weight of door panels, hangers linkage, etc. (kg):		Maximum allowable closing speed (m/s): KE = 1/2 (m/32.2)v ²	

Elevator: Traction (electric), Hydraulic, Roped-hydraulic, Winding-drum, Rack and pinion, Screw-drive, Passenger Elevator, Freight Elev. A, B, C1, C2, or C3, LULA, Power Sidewalk Elev., Roof-top elevator, Special Purpose Personal Elevator, Dumbwaiter, Dumbwaiter w/ auto transfer device, Type A Material lift, Type B Material lift.

Dumbwaiter / Material Lift: Dumbwaiter; Type B Material Lift **Moving Stair / Walk:** Escalator, Moving Lift: Vertical Platform Lift; Inclined Platform Lift; Stairway Chair Lift

Number of Landings/Openings: Car or platform openings (doors/gates) are counted from inside the elevator, dumbwaiter or lift. Number of car or platform openings does not usually equal the number of landings and is rarely more than 2.

Type of Drive Unit: Cable Ball & Socket, Chain (electric), Chained hydraulic, Direct hydraulic, Direct hydraulic, Hand, Rack and pinion, Roped hydraulic Screw, Traction - penthouse, Traction - basement, Traction - machine roomless, Winding drum.

Car interior: Metal shell, laminated glass **Other material testing:** ASTM E 84, UL 723, NFPA 252

Suspension Means: Elevator Wire Rope, Aircraft Cable, Coated Steel Belt, Chain

Car door or gate: Single speed, two speed, three speed, vertical, power, side slide, C/O, bi-parting, collapsible

Entrance Construction: Sheetrock, Masonry/Concrete

Buffer Type: Spring, Oil, Reduced Stroke, Bumper

Guide Rail Type: Tee, Formed, Other

Safety Type: A, B, C, Other

Governor Type: Non Fly-ball, Fly-ball, Friction, Other

Fire Fighter's Service: None, Phase I, Phase I & II

Conveyance Alteration Permit Application

5. Applicant Signature

I certify that all the above statements are true and accurate to the best of my knowledge and belief.

Signature

Title

Date

Printed name